



# ORGANIC DYESTUFFS CORPORATION

---

## CORPORATE OFFICE

65 Valley Street  
P.O. Box 14258  
East Providence, RI 02914-0258

TEL: (800) 556-6785

TEL: (401) 434-3300

FAX: (401) 434-2390

## TECHNICAL BULLETIN

### ORCO FLEX FINISH 40<sup>®</sup>

- Description:** A modified nonionic polyvinyl acetate emulsion for use in coating and finishing where a strong but flexible film is desired. Especially useful when high percentages of the conventional P.V.A. cause "cracking off."
- Properties:**
- |                           |                               |
|---------------------------|-------------------------------|
| <i>Ionic charge -</i>     | nonionic.                     |
| <i>pH -</i>               | approximately 3.5 - 4.5       |
| <i>Specific Gravity -</i> | 1.06                          |
| <i>Stability -</i>        | stable in pH range of 3.5-9.0 |
| <i>Form -</i>             | Pourable white fluid          |
- Applications:** Applicable to all fibers.
- Procedures:** For application where fullness of hand is desired without the usual harshness of conventional P.V.A.'s, a recommended 5 - 10% owg may be padded on at room temperature with the usual drying temperature of 175°F. to 250°F(79-120°C).
- Notes:** Keep from freezing

---

C O L O R A N T S F O R A L L I N D U S T R I E S

BRANCH OFFICE: NORTH CAROLINA DIVISION  
1015 Concord Parkway N · Concord, NC 28027  
TEL: 800-783-6955  
TEL: 704-786-1118  
FAX 704-788-2415